



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/975,544	10/11/2001	William Robert Hanson	035451-0146 (3683.Palm) 9410	
26371	7590 10/19/2005	•	EXAMINER	
FOLEY & LARDNER 777 EAST WISCONSIN AVENUE			LEWIS, DAVID LEE	
SUITE 3800			ART UNIT	PAPER NUMBER
MILWAUKEE, WI 53202-5308			2673	

DATE MAILED: 10/19/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/975,544	HANSON ET AL.				
Office Action Summary	Examiner	Art Unit				
	David L. Lewis	2673				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period to Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 09 M	lay 2005.					
2a) ☐ This action is FINAL . 2b) ☑ This	. · · · · · · · · · · · · · · · · · · ·					
3) Since this application is in condition for alloward	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4) ☐ Claim(s) 1-40 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-40 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	wn from consideration.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the liderawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). sected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s) Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

Art Unit: 2673

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

1. Claims 1-9, 12-15, 17-19, 22-31, 34-37, 39 and 40 are rejected under 35 U.S.C. 103(a) as being anticipated by Ogura et al. (6189056 B1) in view of Ross et al. (5859628).

As in claim 1, Ogura et al. teaches of a electronic module, figure 1 and 7,

comprising; a display housing, figure 7 item (display housing);

a display supported by the display housing, figure 7 item (display);

an interface housing, figure 3 item 10, figure 7 item (card connector);

a processor coupled to the display, figure 2 item 63;

a power supply coupled to the processor, figure 2 item 81;

an interface configured to be removably coupled to a computer, figure 7 item (card

connector),

the interface being incorporated into the interface housing, figure 3 item 10, figure 7

item (card connector);

and, a memory coupled to the processor, figure 2 item 65.

However Ogura et al. is silent as to wherein the display is smaller than a display for a

handheld computer, as well as wherein the interface is configured to be removably

coupled to a handheld computer.

Ross et at teaches of connecting a PCMCIA interface device to a PDA or handheld

computer, column 4 lines 55-65, column 5 lines 22-30. Given that PCMCIA based

devices as taught by Ogura et al. are known to interface with handheld PDA computers

having a display as taught by Ross et al., it would have been obvious to the skilled

artisan at the time to the invention to combine the foldable PCMCIA interface device of

the Ogura et al. with the PDA of Ross because Ross is designed to receive such devices,

as found in claim 1. Further as is generally known in the art, the relative size of a cell

phone device display as taught by Ogura et al., figure 7, is smaller than the size of a PDA

display screen as taught by Ross et al., figure 2 item 202, wherein the device of Ogura is

within the size constraints of the PCMCIA dimensions, and the display of Ross, is bigger than the PCMCIA slot dimensions, figure 2 item 202, and figure 5 item 206, as found in claim 1.

As in claim 19, Ogura et al. teaches of an accessory module for a portable electronic device, figure 1 and 7,

comprising: an accessory housing, figure 1 and 7;

a processor supported by the accessory housing, figure 2 item 81;

an interface for making electrical connection between the processor and a host device, figure 1 item 11;

and, an interface housing for supporting the interface, figure 1 item 11,

wherein, the interface housing is hinged to the accessory housing such that the interface housing can fold behind the accessory housing, figure 3 item 30,

the interface housing can unfold to extend for insertion into an interface slot in a handheld electronic device, figures 1-3 item 30.

Art Unit: 2673

However Ogura fails to explicitly teach of wherein the interface can be used to couple to the host device when in the folded position. The device of Ogura however can be folded to certain degrees, sufficiently reading on the claims language. Further, Ross et al. teaches of having both a Type II and III PCMCIA slot, while Ogura et al. teaches of said device, figure 7, column 2 lines 35-45, being used in the folded and unfolded positions. Therefore it would have been obvious to the skilled artisan at the time of the invention to connect the device of Ogura et al. to the PDA of Ross et al. in both the folded and unfolded positions, based on the design of both Ogura and Ross, as found in claim 19.

As in claim 23, Ogura et al. teaches of a portable electronic module for coupling to a host device, comprising: a display housing, figure 1 item 20, figure 7 item (display);

a display coupled to the display housing, figure 1 item 21, figure 7 item (display);

an interface housing, figure 1 item 10;

an interface configured to be removably coupled to the host device, the interface being incorporated into the interface housing, figure 1 item 11, figure 7 item (card connector);

a processor coupled to the interface and the display, figure 2 item 63, a memory coupled to the processor, figure 2 item 65, figure 3 item 51C,

and a power supply coupled to the processor, figure 2 item 81.

However Ogura et al. fails to specifically teach of connection to a handheld host device. Ross et al. teaches of a handheld PDA host for connection to devices as taught by Ogura et al. having a PCMCIA slot. **Therefore it would have been obvious** to the skilled artisan at the time of the invention to connect to the device as taught by Ogura et al. to the PDA host device of Ross et al. because both Ogura and Ross are designed for said PCMCIA connection, as found in claim 23.

As in claims 2 and 24, Ogura et al. teaches of, wherein the memory includes Secure Digital (SD) memory, column 2 lines 65-67, wherein flash memory reads on said SD memory.

As in claim 3 and 25, Ogura et al. teaches of, wherein the interface is configured to be coupled to a slot in a housing of the handheld computer, figure 3 item 11.

As in claim 4 and 26, Ogura et al. teaches of, wherein the interface is configured to exchange data with a host device through electrical interconnects, figure 3 item 11.

Art Unit: 2673

As in claim 5 and 27, Ogura et al. teaches of, wherein the interface is configured to exchange data with a host device through an optical data link, figure 2 item 71, inherent to interface application.

As in claim 6 and 28, Ogura et al. teaches of, wherein the display module is powered by an internal battery, column 13 lines 17-22.

As in claim 7 and 29, Ogura et al. teaches of wherein the display module is configured to receive power from a host device through the interface, figure 7 item (card connector).

As in claim 8 and 30, Ogura et al. teaches of, wherein the interface housing is foldably connected to the display housing, figures 1-3 item 30, column 2 lines 35-45.

As in claim 9 and 31, Ogura et al. teaches of, wherein the display module is configured to be received by a host device when the interface housing is folded behind the display housing, figure 7, coumn 2 lines 35-45.

As in claim 12 and 34, Ogura et al. teaches of, wherein the display module further comprises a processing circuit selected from the group consisting of: ASIC, microcontroller, microprocessor, column 14 lines 45-55.

Application/Control Number: 09/975,544

Art Unit: 2673

As in claim 13 and 35, Ogura et al. teaches of, further comprising at least one input/output device, figure 1 item 12.

Page 8

As in claim 14 and 36, Ogura et al. teaches of, wherein the at least one input/output device is selected from the group consisting of: touch screens, buttons, dials, switches, and electro-audio transducers, figure 1 items 100.

As in claim 15 and 37, Ogura et al. teaches of, wherein the display module operates to display information when not coupled to a host device, figure 1 item 21.

As in claim 17 and 39, Ogura et al. teaches of, further comprising a display controller for controlling the display, column 14 lines 45-55 or figure 1 item 63.

As in claim 18 and 40, Ogura et al. teaches of, wherein the memory is configured to store and retain data customized to the user, figure 2 item 65 and 66.

As in claim 21, Ogura et al. teaches of, wherein the hinge includes a plurality of detents, figure 1 item 11.

As in claim 22, Ogura et al. teaches of, wherein the interface housing is configured to fit a secure digital (SD) slot, column 2 lines 65-67.

Art Unit: 2673

2. Claims 10, 11, 16, 20, 32, 33, and 38 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Ogura et al. (6189056 B1) in view of Ross et al. (5859628), further

in view of Kotchick et al. (2003/0016327), Rakib (2002/0044225), and Williams

(2002/0063855).

As in claim 10, 16, 20, 32, and 38, Ogura et al. in view of Ross et al. fails to explicitly

teach of wherein the host device is selected from the group consisting of: mobile

telephone, game, toy, e-book, electronic projection device, camera, key fob or pendant,

MP3 player, control for home, control for vehicle, remote control for entertainment

system, digital sports assistant, pedometer, information technology equipment, and

watch. Kotchick et al., paragraphs 33-34, Rakib, paragraphs 1-18, 51, 142, and 143, and

Williams, paragraphs 31 and 35, teaches of wherein the host device is selected from the

group consisting of: mobile telephone, game, toy, e-book, electronic projection device,

camera, key fob or pendant, MP3 player, control for home, control for vehicle, remote

control for entertainment system, digital sports assistant, pedometer, information

technology equipment, and watch. Wherein as is known in the art of host device of the

PDA type, they serve the applications, as found in claims 10, 16, 20, 32, and 38. As in

claim 11 and 33, Ogura et al. teaches of, wherein the host device is a wearable device,

figure 4d, paragraph 33, as does Kotchick et al., paragraphs 33 and 34, and Williams,

paragraphs 31 and 35.

Response to Arguments

Art Unit: 2673

3. Applicant's arguments filed 5/9//2005 with respect to claims 1-40 are persuasive. The

Ross et al. reference (5859628) has been provided. This office action is Non-Final in

view of the Examiners clerical error. Ross et al. teaches of a handheld PDA with a

PCMCIA slot demonstrative of the fact that the device of Ogura can be used with a

handheld PDA in addition to the laptop/notebook computer. Also see the rejection over

Ogura et al. in view of Ross et al., further in view of Kotchick et al., Rakib, and

Williams.

Conclusion

4. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to David L. Lewis whose telephone number is (571) 272-

7673. The examiner can normally be reached on MT and THF from 8 to 5. If attempts to

reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin

Shalwala, can be reached on (571) 272-7381. Any inquiry of a general nature or relating

to the status of this application or proceeding should be directed to the Group receptionist

whose telephone number is (703) 305-3900.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

Art Unit: 2673

(703) 872-9314 (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

October 17, 2005

VIJAY SHANKAR PRIMARY EXAMINER